Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10 0	. 0	(header\$1 same (file adj key\$1) same group\$1 same (rule\$1 or right\$1 or usage\$1)).clm.	US-PGPUB	OR	OFF	2007/08/13 19:04
S99	0	(header\$1 same ((file or content) adj key\$1) same group\$1 same (rule\$1 or right\$1 or usage\$1)).clm.	US-PGPUB	OR	OFF	2007/08/13 19:01
S98	2	(header\$1 same ((file or content) adj key\$1) same group\$1).clm.	US-PGPUB	OR	OFF	2007/08/13 19:01
S97	0	(header\$1 same ((file or content) adj key\$1) same group\$1 same (rule\$1 or right\$1 or usage\$1) same (delet\$3 or remov\$3 or destroy\$3)).clm.	US-PGPUB	OR	OFF	2007/08/13 18:59
S96	0	(header\$1 same ((file or content) adj key\$1) same (delet\$3 or remov\$3 or destroy\$3)).clm.	US-PGPUB	OR	OFF	2007/08/13 18:57

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S9 <u>5</u>	17	(header\$1 same (file adj key\$1) same group\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/13 18:53
S93	84	S86 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/13 18:51
S92	1423	(access adj control\$1) and ((permit\$1) with (revis\$3 or modif\$7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/13 18:50
S91	26	S86 and S90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/08/13 18:48
S90	266	(security with template\$1) and archived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/13 18:47
S89	12	S87 and S88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/08/13 18:47
S87	34	(pervasive adj security).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/13 18:47

					,	
S88	343	((denis or jacques or paul) and Garcia).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/13 18:46
586	10115	713/160-162.ccls. or 713/168.CCLS. OR 713/187-194.CCLS. OR 380/200-203.CCLS. OR 726/26-30. CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/13 18:45
S1	10034	garcia.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/13 18:45
S85	1	"6253193".pn. and (group\$1 or part\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 16:16
S84	3	"6449721".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:28
S83	37	(content near2 key\$1) with encrypted with ((program or title) adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 13:07
S82	0	(file adj key\$1) with encrypted with ((program or title) adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 13:06
·S81	0	(content near3 key\$1) with encrypted with (another adj content near2 key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 13:05

	***************************************		· · · · · · · · · · · · · · · · · · ·	Τ.		T
S80	1	download same (security adj template\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 11:07
S79		download with (security adj template\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/07/07 11:07
S78	. 1	download adj security adj template\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 11:07
S77	62	(guest adj login)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 10:00
S76	. 51	S75 and @ad<="20011212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 09:23
S75	86	(security with information) with stack\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 09:23
S74	13	(security adj information) with stack\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 09:23
S72	79	S71 and @ad<="20011212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 09:23

	1		T .	1	1	
S73	5	(access adj control\$1) and (((permit\$1) with (revis\$3 or modif\$7)) with (security adj information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 09:19
S68	974	(access adj control\$1) and ((permit\$1) with (revis\$3 or modif\$7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 08:52
S71	128	S68 and S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 08:50
S70	25959	"713".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 08:49
S69	0	S68 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 08:49
S67	12	S66 and permit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 08:46
S66	30	(security adj template\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 08:40
S65	14	(guest adj login) with access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 08:37

S64	0	S62 and (general adj access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 17:01
S63	1	S62 and (special adj access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 17:01
S62	62	(guest adj login)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 17:01
S61	0	(undo adj access adj policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 17:00
S60	1	(special adj access adj policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 16:59
S59	3	(security with template\$1) same archived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 16:58
S58	188	(security with template\$1) and archived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 14:41
S56	62	(security with template\$1) and stack\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 14:40

			·			
S57		(security with template\$1) same stack\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 14:08
S55	0	(security with template\$1) with stack\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 14:08
S54	1	(security adj template\$1) and stack\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/07/06 14:07
S52	1	(security adj template\$1) same stack\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 14:06
S51	21	security with crawler\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 14:17
S50	17	security with crawler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 14:17
S46	366	security and crawler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 14:17
S49	· 41	"6253193"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/07/05 14:07

S48	28	crawler and ((oeprating adj system\$1) or kernel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 14:07
S47	6	security and crawler and ((oeprating adj system\$1) or kernel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF .	2005/07/05 13:51
S45	0	"199976174"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 17:27
S44	1	"1999-105443"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/07/01 17:27
S43	37	(file adj sharing adj method).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 17:24
S42	2	"5857189".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 17:22
541	1	"5817189"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/07/01 17:19
S40	10	(icon with file adj changed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 16:51

S39	1736935	(icon adj of file of is adj changed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 16:50
S38	1	S37 and (icon\$1 with chang\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/07/01 16:50
S37	38	S36 and apple.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/07/01 16:48
S36	1058	riddle.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/07/01 16:46
S35	1	5857189A	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/07/01 16:46
534	. 0	"1999105443"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 16:45
S33	1	S32 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 16:43
S32	100771	security.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 14:47

·	,		.,			
S31	221	icon with chang\$3 with file\$1.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/07/01 14:47
S30		(security with icon\$1 with chang\$3 with file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 14:46
S29	.0	S25 and (policy or license or rule) and (security with icon\$1 with chang\$3 with file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 14:34
S28	22	security with icon\$1 with chang\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 14:32
S26	130	S25 and (policy or license or rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 14:32
S27	. 50	S26 and @ad <= "20011212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 14:19
S25	229	security and browser and crawler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/07/01 13:27
S24	32	713/155.CCLS. and (template\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 13:27

,					,	
S23	O :	713/155.CCLS. and (security adj template\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2005/07/01 11:32
S21	8	destroy\$3 with decrypted with (file\$1 or object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 11:31
S20	2	"6260141".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 11:16
S19	2	"20010029581".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 16:54
S18	5	10/094,211	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:44
S17	. 1	10/094,020	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:44
S16	1	10/094,220	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:43
S15	1	10/093,427	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:42

S14	1	10/093,218	US-PGPUB; USPAT;	OR	OFF	2005/06/07 18:11
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
S13	2	10/078,727	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 18:10
S12		10/075,926	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 18:08
S11	416	S10 and (file\$1 or content\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 15:10
S10	558	(temporary adj key\$1) or (one\$1time adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 15:10
S9	2	"6308256".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 15:26
S7	2	"6178242".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/06/06 15:25
S4	12	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 13:15

S5	2	"6253193".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2005/06/06 10:59
S3	34	(pervasive adj security).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 09:44
S2	267	((denis or jacques or paul) and Garcia).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 09:40